



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 17, 2014

Oles Morrison Rinker & Baker LLP
Attn: J. Craig Rusk
701 Pike Street Suite 1700
Seattle, WA 98101-3930

Re: Water Right No. G2-28893 for Pulali Point Partners

Dear Mr. Rusk:

In response to your request, Pulali Point Partners is hereby granted an extension to put the water to full beneficial use for the reasons below:

- Due diligence is shown in development of this project. The water system is actively serving seven of the proposed eight connections.
- Additional time is needed to allow full build-out and maximum beneficial use of water.

The new deadline to submit your *Proof of Appropriation of Water* is **March 1, 2019**.

We understand that the water manager for Pulali Point Partners was recently informed of water right permit monitoring requirements and is now recording source meter data and testing for chloride levels. The system's May 8, 2014 testing result of 7.52 mg/L indicates that chlorides are at background levels.

Because the Pulali Point water system is limited to eight services and operating with water use limitations under the subdivision's own conservation plan, we are reducing the frequency of the chloride testing requirement to one time a year, during the month of September. However, if chloride levels show an increasing trend in the future, additional testing may be required.

The enclosed *Meter Form 1* must be completed and submitted to our office **by January 31st, 2015**, along with monthly and annual totals of groundwater withdrawn for Calendar Year 2014. Metering and chloride data must be submitted by January 31st, each year, thereafter.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.



- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.


ADDRESS AND LOCATION INFORMATION

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503 Pollution Control Hearings Board 1111 Israel RD SW STE 301 Tumwater, WA 98501	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608 Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature Website: <http://www1.leg.wa.gov/CodeReviser>.

If you have any questions, please contact Marie Peter at (360) 407-0279 or mpet461@ecy.wa.gov

Sincerely,



Michael J. Gallagher
 Section Manager
 SWRO Water Resources

MJG:MP:th

Enclosures: *Proof of Appropriation of Water*
Metering forms
Your Right to Be Heard

BY CERTIFIED MAIL: 7013 2630 0001 9408 7469